


Marine Pro 400 Series DCU 408E Engine Controller




At a glance

- DIN rail or plate mountable
- Powerful dual core CPU provides lightning response
- 8 configurable switch inputs
- 4 configurable 4-20 mA inputs
- 4 configurable PT100 inputs
- 2 configurable 0-5 V inputs
- Configurable outputs and relays activated by events
- Automatic power switching over 2 independent power supply input lines
- Ethernet and Modbus communication
- Cyber Secure

Why customers select the DCU 408E

- “Plug and Play” connectivity to multiple remote panels
- Low cost option when no local display required
- Accepts multiple sensor standards and twin J1939 networks
- IACS Class Approved
- Intuitively configurable using the built-in web server
- No special software, cables or tools required





Example of use in system of medium complexity

Same hardware
for many
applications

Can hold up to 50
customer-selectable
configuration files

Suitable for fixed and
variable speed uses

Multiple standard I/O's
and outputs

No specialist
skills required

No special tools

No special software, just
an internet browser

Preloaded configurations

Connects to Marine Pro
selfconfiguring remote
panels

Connect
easily to
other ship
systems

Ethernet connected
means literally
"Plug & Play"

Simple two-wire Modbus
connectivity when needed

Expandable to include
other vessel parameters

Accountability

Secure historical event
and alarm list

Can link to third party
Ship Management and
remote telemetry
systems

Ordering info

Item	Part number
DCU 408E Engine Controller	1006510
DCU 410E Engine Controller	1006445
SDU 410 Safety Shutdown Unit	1006451
RP 480i Remote Panel	1500061
RP 220E Remote Panel	1006472

Sales EMEA and Asia

Phone: (+47) 64 84 52 00
Email: sales@auto-maskin.com

Sales North and South America

Phone: +1 (832) 738-1024
Email: sales.us@auto-maskin.com

Managing Energy

www.auto-maskin.com